



	WiFi3608DEW8SW200
NVR	1x NVR3608DEW
	8 x LMDNSW200W
	350
	1 x 1m
	1 USB 2.0
	1xDC 12V 2A for WIFI NVR, 8xDC 12V 0.5A for WIFI IP Camera
	9.9kg/SET
	LMDNSW200W
	1/2.7" CMOS
	200 1080P
	1920(H)*1080(V)
	H.264/H.264+/H.265/H.265+
	PAL/NTSC
	: PAL 1/25-1/10000Sec, NTSC 1/25-1/10000Sec
	52dB
	3.6mm
	300

14μ x 12

20

/

TCP/IP,ICMP,RTP,RTSP,RTCP

/

P2P

/

POE

/

1

1920*1080@ 1-15fps(default resolution:1920*1080/frame rate:15fps/bit rate:1Mbps)

2

/

3

/

1

720* 480@ 1-15fps(default frame rate:15fps/bit rate:0.5Mbps)

2

/

3

/

/

/

/

3dbi

/

Wi-Fi

Wi-Fi(IEEE802.11b/g/n)

WIFI

300

IR-CUT

/ / / , , 3D NR, , FLK()

/

ROI

/

/

3

NV

/

SD

/

RS485

/

, IP66

IR-CUT

-20 ~ +60 RH95% Max

-20 ~ +60 RH95% Max

DC12V±10%, 500mA

94(W) x 94(H) x 72(D)mm

400g

NVR3608DEW

ARM Cortex A7 Quad-core Processor

Embedded LINUX

9CH (2592x1944, 2048x1536, 1920x1080, 1280x960, 1280x720, etc)

1 VGA, 1 HD

/

1 RCA(, 1k)

64kbps

G711u, G711a, G726

/

/

9 , : 396 (22 x 18)

FTP

	H.264/H.265/H.264+/H.265+
	5MP(2592×1944), 4MP(2688×1520), 3MP(2048×1536), 1080P(1920×1080), 960P(1280×960), 720P(1280×720), D1 (720×576/720×480)
	PAL : 5MP@ 9×25fp, 4MP@ 9×25fp, 3MP@ 9×25fp, 1080P@ 9×25fp, 960P@ 9×25fp, 720P@ 9×25fp, D1@ 9×25fp NTSC: 5MP@ 9×30fp, 4MP@ 9×30fp, 3MP@ 9×30fp, 1080P@ 9×30fp, 960P@ 9×30fp, 720P@ 9×30fp, D1@ 9×30fp
&	
	1CH 5MP@ 30fps, 1CH 4MP@ 30fps, 2CH 3M@ 30fps, 4CH 1080P@ 20fps, 4CH 960P@ 30fps, 4CH 720P@ 30fps
	4CH 1080P@ 20fps
	/USB(USB)
	1 RJ45 10M/100M
	60MB
	TCP/IP, HTTP, UPnP, DNS, NTP, SMTP, DHCP, FTP, DDNS, RTP, RTSP, RTCP, p2p
Onvif	Onvif 2.4
	IE8-11, Google Chrome (Ver44), Firefox (Ver53)
CMS	Windows 7/ Windows 8/Windows 10
(P2P)	
	iPhone, iPad, Android, Android Pad
POE	/
WIFI	, WIFI : 300m
	1 SATA (2.5"/3.5" SATA)
	8TB
eSATA	/
USB	1 USB 2.0
RS485	/
	DC12V/2A
	-10-55°C/10-90%